## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	external electrode and thermosetting conductive paste and resin	US-PGPUB; USPAT	ADJ	ON	2007/11/14 13:59
\$2	184	conductive particle and melting point and metal powder and resin and conductive and thermosetting	US-PGPUB; USPAT	ADJ	ON	2007/11/14 14:00
S3	137	conductive particle and melting point and metal powder and resin and conductive and thermosetting and degree	US-PGPUB; USPAT	ADJ	ON	2007/11/14 14:01
<b>S</b> 4	38	conductive particle and melting point and metal powder and resin and conductive and thermosetting and degree and (weight or mass) near5 percent	US-PGPUB; USPAT	ADJ	ON	2007/11/14 14:04
<b>S</b> 5	15	conductive particle and melting point and metal powder and resin and conductive and thermosetting and degree and (weight or mass) near5 percent and (electrode or plate)	US-PGPUB; USPAT	ADJ	ON	2007/11/14 14:06
<b>S</b> 6	15	conductive particle and melting point and metal powder and resin and thermosetting and degree and (weight or mass) near5 percent and (electrode or plate)	US-PGPUB; USPAT	ADJ	ON	2007/11/14 14:07

S7	749	conductive (paste or adhesive) and conductive (powder or particle) and degree and resin and thermoset\$6	US-PGPUB; USPAT	ADJ	ON	2007/11/15 13:04
<b>S</b> 8	583	conductive (paste or adhesive) and conductive (powder or particle) and degree and resin and thermoset\$6 and (weight or mass)	US-PGPUB; USPAT	ADJ	ON	2007/11/15 13:08
<b>S</b> 9	198	conductive (paste or adhesive) and conductive (powder or particle) and degree and resin and thermoset\$6 and (weight or mass) and melting (point or temperature)	US-PGPUB; USPAT	ADJ	ON	2007/11/15 13:08
S10	136	conductive (paste or adhesive) and conductive (powder or particle) and degree and resin and thermoset\$6 and (weight or mass) and melting (point or temperature) and electrode	US-PGPUB; USPAT	ADJ	ON	2007/11/15 14:03
S11	624	361/306.3.ccls.	US-PGPUB; USPAT	ADJ	ON	2007/11/15 14:04
S12	137	S11 and conductive (paste or adhesive)	US-PGPUB; USPAT	ADJ	ON	2007/11/15 14:47
S13	0	H10-172346	JPO; DERWENT	ADJ	ON	2007/11/15 14:49
S14	14	"172346"	JPO; DERWENT	ADJ	ON	2007/11/15 14:49
S15	0	terminal electrode for electronic component	JPO; DERWENT	ADJ	ON	2007/11/15 14:50
S16	624	361/306.3.ccls.	US-PGPUB; USPAT	ADJ	ON	2007/11/16 08:56

S17	137	S16 and conductive (paste or adhesive) and (tin or sn or indium or in)	US-PGPUB; USPAT	ADJ	ON	2007/11/16 08:56
S18	60	S16 and conductive (paste or adhesive) and (tin or sn or indium)	US-PGPUB; USPAT	ADJ	ON	2007/11/16 08:56
S19	15	("4016463"   "4759965"   "5375035"   "5568352"   "5793600"   "6002575"   "6060150"   "6292352"   "6300686").PN. OR ("6525921").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/16 09:15
S20	198	conductive (paste or adhesive) and conductive (powder or particle) and degree and resin and thermoset\$6 and melting (point or temperature) and (weight or mass)	US-PGPUB; USPAT	ADJ	ON	2007/11/16 09:19
S21	29	conductive (paste or adhesive).ti. and conductive (powder or particle) and degree and resin and thermoset\$6 and melting (point or temperature) and (weight or mass)	US-PGPUB; USPAT	ADJ	ON	2007/11/16 09:22
<b>S</b> 22	101	("2993815"   "3256109"   "3410714"   "3502609"   "3679439"   "3681135"   "3714709"   "3791027"   "3800020"   "3801364"   "3808046"   "3857798"   "3904555"   "3983075"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/16 09:47

.2	2	,	2		3
	"4000016"				
	"4001146"				
	"4127699"				
	"4147669"				
					"
	"4186036"				
	"4233103"				
	"4273593"				
	"4278702"				
	"4293451"				
	"4327124" [				
	"4352899"				
	"4353816"				
	"4368281"				-
					"
	"4396666"				
	"4400214"				
	"4415486"				
	"4429657"				
	"4434084"				
	"4457861" [				***************************************
	"4459166" İ				
	"4496475"				
	"4533685"				
	"4557857"				
	"4564563"				
	"4575432"				
	•				***************************************
	"4578425"				
	"4581158"				
	"4592861"				
	"4639396"				-
	"4652398"				
	"4673532"				
	"4678602"				
	"4680141"				
	"4683653" [				
	"4696764"				
	"4705647"				
	"4731130"				
	"4732702"				
	"4733018"				
	"4740252"				
	,				
	"4756756"				
	"4765929"				
	"4775500"				
	"4780371"				
	"4786437"				
	"4789411"				
	"4803543"				
	"4808434"				
	"4816184"				
	"4820446"			***************************************	
	"4830779"			·	
	"4836955"				, minn
	"4859268"			· · · · · · · · · · · · · · · · · · ·	
	1300200				•

		"4872928"   "4874548"   "4880570"   "4882227"   "4884135"   "4894184"   "4940498"   "4971727"   "4996005"   "5088189"   "5136365"   "5376403"   "5463190").PN. OR ("5853622").URPN.				
S23	90	S22 and (weight or mass)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/16 09:53
S24	101	("2993815"   "3256109"   "3410714"   "3502609"   "3679439"   "3714709"   "3791027"   "3800020"   "380364"   "3857798"   "3904555"   "3960777"   "3983075"   "400016"   "4001146"   "4127699"   "4147669"   "4186036"   "4233103"   "4273593"   "4278702"   "4352899"   "4352899"   "4352899"   "4368281"   "436666"   "4400214"   "4415486"   "4429657"   "4434084"   "4457861"   "4457861"   "4496475"	US-PGPUB; USPAT; USOCR	ADJ		2007/11/19

S29	60	S28 and conductive particles	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/03/03 16:42
\$30	202	conductive (paste or adhesive) and conductive (powder or particle) and degree and resin and thermoset\$6 and melting (point or temperature) and (weight or mass)	US-PGPUB; USPAT	ADJ	ON	2008/03/03 16:48
S31	4	external electrode and thermosetting conductive paste and resin	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
S32	186	conductive particle and melting point and metal powder and resin and conductive and thermosetting	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
S33	138	conductive particle and melting point and metal powder and resin and conductive and thermosetting and degree	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
S34	38	conductive particle and melting point and metal powder and resin and conductive and thermosetting and degree and (weight or mass) near5 percent	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
<b>S</b> 35	15	conductive particle and melting point and metal powder and resin and conductive and thermosetting and degree and (weight or mass) near5 percent and (electrode or plate)	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18

S36	15	conductive particle and melting point and metal powder and resin and thermosetting and degree and (weight or mass) near5 percent and (electrode or plate)	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
S37	773	conductive (paste or adhesive) and conductive (powder or particle) and degree and resin and thermoset\$6	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
S38	601	conductive (paste or adhesive) and conductive (powder or particle) and degree and resin and thermoset\$6 and (weight or mass)	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
S39	202	conductive (paste or adhesive) and conductive (powder or particle) and degree and resin and thermoset\$6 and (weight or mass) and melting (point or temperature)	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
S40	139	conductive (paste or adhesive) and conductive (powder or particle) and degree and resin and thermoset\$6 and (weight or mass) and melting (point or temperature) and electrode	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
S41	647	361/306.3.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
S42	147	S41 and conductive (paste or adhesive)	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
S43	0	H10-172346	JPO; DERWENT	ADJ	ON	2008/03/04 06:18

S44	27	"172346"	JPO; DERWENT	ADJ	ON	2008/03/04 06:18
S45	0	terminal electrode for electronic component	JPO; DERWENT	ADJ	ON	2008/03/04 06:18
S46	647	361/306.3.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
S47	147	S46 and conductive (paste or adhesive) and (tin or sn or indium or in)	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
S48	64	S46 and conductive (paste or adhesive) and (tin or sn or indium)	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
<b>S</b> 49	15	("4016463"   "4759965"   "5375035"   "5568352"   "5793600"   "6002575"   "6060150"   "6292352"   "6300686").PN. OR ("6525921").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/03/04
\$50	202	conductive (paste or adhesive) and conductive (powder or particle) and degree and resin and thermoset\$6 and melting (point or temperature) and (weight or mass)	US-PGPUB; USPAT	ADJ	N ON	2008/03/04
S51	29	conductive (paste or adhesive).ti. and conductive (powder or particle) and degree and resin and thermoset\$6 and melting (point or temperature) and (weight or mass)	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18

S52	101	("2993815"		US-PGPUB;	ADJ	ON	2008/03/04
~	101	"3256109"	1	USPAT; USOCR			06:18
		"3410714" [		55/A1, 560011			50.10
		"3502609"					
		"3679439" [					
		"3681135"					
		"3714709" [					
		"3791027"					
		"3800020"					
		"3801364"					
		"3808046"					
		"3857798" [					
		"3904555" [					
		"3960777"					
		"3983075"					
		"4000016"					
		"4001146"					
		"4127699" [					
		"4147669" [					
		"4186036"					
		"4233103"					
		"4273593"					
		"4278702"					
		"4293451"					
		"4327124"					
		"4352899"					
		"4353816"					
		"4368281"					
		"4396666"					
		"4400214"					
		"4415486"					
		"4429657"					
		"4434084"					
		"4457861"					
		"4459166"					
		"4496475"					
		"4533685"					
		"4557857"					
		"4564563"					
		"4575432"					
		"4578425"					
		"4581158"					
		"4592861"					
		"4639396"					
		"4652398"					
		"4673532"					1
		"4678602"					
		"4680141"					
		"4683653"					
		"4696764"					
		"4705647"					
		"4731130"					
		"4732702"					

		"4733018"   "4740252"   "4756756"   "4765929"   "4775500"   "4780371"   "4789411"   "4803543"   "4808434"   "4816184"   "4820446"   "4830779"   "4859268"   "4872928"   "4872928"   "48843570"   "4882227"   "4888135"   "4894184"   "4940498"   "4971727"   "4996005"   "5088189"   "5376403"   "5463190").PN. OR ("5853622").URPN.			ана	
S53	90	S52 and (weight or mass)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/03/04 06:18
S54	101	("2993815"   "3256109"   "3410714"   "3502609"   "3679439"   "3681135"   "3714709"   "3800020"   "3801364"   "380364"   "3857798"   "3904555"   "3960777"   "3983075"   "400016"   "4001146"   "4127699"   "4186036"   "4233103"	US-PGPUB; USPAT; USOCR	», ADJ	NON	2008/03/04

1	1	,	2		,
	"4273593"				-
	"4278702"				
	"4293451"				
	"4327124"				-
	1				
	"4352899"				
	"4353816"				
	"4368281"				
	"4396666"				
	"4400214"				
	"4415486"				
	"4429657"				
	"4434084"				i
	"4457861"				i
	·				-
	"4459166"				
	"4496475"				
	"4533685"				
	"4557857"				
	"4564563"	····			· · · · · · · · · · · · · · · · · · ·
	"4575432"				-
	"4578425"				i
	"4581158"				
	"4592861"				
	"4639396"				
	"4652398"				
	"4673532" [				
	5				
	"4678602"				
	"4680141"				-
	"4683653"				
	"4696764"				-
	"4705647"				
	"4731130"	i			
	"4732702"				
	"4733018"				
	"4740252"				
	"4756756"				
	"4765929"				
	"4775500"				i
	"4780371"				
	"4786437"				
	"4789411"				-
	,				
	"4803543"				-
	"4808434"				-
	"4816184"				
	"4820446"				
	"4830779"				
	"4836955"				-
	"4859268"	***************************************			
	"4872928"				
	"4874548"				*****
	"4880570"	***************************************			
	"4882227"				
	"4888135"				· coores
	"4894184"				
	100-110-				***************************************

	***************************************	"4940498"   "4971727"   "4996005"   "5088189"   "5136365"   "5376403"   "5463190").PN. OR ("5853622").URPN.	***************************************			***************************************
S55	3010	layer and capacitor and external electrode	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/03/04 06:18
S56	314	S55 and thermosetting	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/03/04 06:18
S57	60	S56 and conductive particles	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/03/04 06:18
S58	202	conductive (paste or adhesive) and conductive (powder or particle) and degree and resin and thermoset\$6 and melting (point or temperature) and (weight or mass)	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:18
S59	109	conductive (paste or adhesive) same (tin or sn or indium) and (weight or mass) with (percent or "%") with (tin or sn or indium)	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:33
S60	0	conductive (paste or adhesive) same (tin or sn or indium) and (weight or mass) with (percent or "%") with (tin or sn or indium) and conductive powder and conductive particle	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:40
S61	7	conductive (paste or adhesive) same (tin or sn or indium) and (weight or mass) with (percent or "%") with (tin or sn or indium) and conductive powder	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:41

S62	19	conductive (paste or adhesive) same (tin or sn or indium) and (weight or mass) with (percent or "%") with (tin or sn or indium) and conductive particle	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:41
S63	960	conductive (paste or adhesive) and (weight or mass) with (percent or "%") and conductive particle	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:52
S64	109	conductive (paste or adhesive) and (weight or mass) with (percent or "%") and conductive particle and conductive powder	US-PGPUB; USPAT	ADJ	ON	2008/03/04 06:52
S65	22	conductive (paste or adhesive) and (weight or mass) with (percent or "%") and conductive particle and conductive powder and low with melting with (point or temperature)	US-PGPUB; USPAT	ADJ	ON N	2008/03/04 06:55

3/4/2008 4:29:06 PM C:\ Documents and Settings\ dsinclair\ My Documents\ EAST\ Workspaces\ 10\ 53 \ 10538136.wsp